



FIG.1



2/62


FIG. 2



3/62

FIG.3

34-1



4/62

FIG.4


34-2



5/62

FIG.5

34-3



6/62

FIG.6





FIG.7



7/62

FIG. 8






FIG. 9




9/62

FIG. 10




123

FIG. 11



124

FIG.12



113

FIG.13




FIG.14




FIG.15




FIG.16




FIG. 17




FIG. 18






FIG.19




19/62

FIG.20



20/62

FIG.21



21/62

FIG.22





FIG.23



23/62

FIG.24





FIG.25



25/62

FIG.26





FIG.27



27/62

FIG.28





FIG.29



521

29/62

FIG.30

511-1

```

<?xml version="1.0" encoding="UTF-8"?>
<content name="welcome"> ... a
  <scene name="startup"> ... b
    <script>
      <![CDATA[
        // This is ECMAScript Code

        button1.focus();

        function spin() {
          porsche.spin();
        }

        function stopSpin() {
          porsche.stopSpin();
        }
      ]]>
    </script>
    <component class="com.sony.slight.SSpotLight"> ... c
      <property name="id"> ... d
        <string>sSpotLight1</string> ... e
      </property>
      <property name="position">
        <object class="javax.vecmath.Vector3d">
          <constructor>
            <arg name="x">
              <double>1.1</double>
            </arg>
            <arg name="y">
              <double>0.0</double>
            </arg>
            <arg name="z">
              <double>0.5</double>
            </arg>
          </constructor>
        </object>
      </property>
    </component>
  </scene>
</content>

```

FIG.31

511-2

```
</object>
</property>
<property name="color">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>0.7058824</float>
      </arg>
      <arg name="z">
        <float>0.7058824</float>
      </arg>
    </constructor>
  </object>
</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="direction">
  <object class="javax.vecmath.Vector3f">
    <constructor>
      <arg name="x">
        <float>-1.0</float>
      </arg>
      <arg name="y">
        <float>-0.6</float>
      </arg>
      <arg name="z">
```

FIG.32

511-3

```

    <float>-0.7</float>
  </arg>
</constructor>
</object>
</property>
<property name="attenuation">
  <object class="javax.vecmath.Point3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>0.5</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</property>
<property name="concentration">
  <float>0.8</float>
</property>
<property name="spreadAngle">
  <float>0.6</float>
</property>
</component>
<component class="com.sony.dlight.SDirectionalLight">
  <property name="id">
    <string>sDirectionalLight1</string>
  </property>
  <property name="color">
    <object class="javax.vecmath.Color3f">
      <constructor>
        <arg name="x">
          <float>1.0</float>

```

FIG.33

511-4

```
</arg>
  <arg name="y">
    <float>1.0</float>
  </arg>
  <arg name="z">
    <float>1.0</float>
  </arg>
</constructor>
</object>
</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="direction">
  <object class="javax.vecmath.Vector3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>0.0</float>
      </arg>
      <arg name="z">
        <float>-1.0</float>
      </arg>
    </constructor>
  </object>
</property>
</component>
<component class="com.sony.picture.SPicture">
```


FIG.34

511-5

```
<property name="id">
  <string>picture1</string>
</property>
<property name="position">
  <object class="javax.vecmath.Vector3d">
    <constructor>
      <arg name="x">
        <double>-0.8</double>
      </arg>
      <arg name="y">
        <double>0.12000000000000001</double>
      </arg>
      <arg name="z">
        <double>-0.3</double>
      </arg>
    </constructor>
  </object>
</property>
<property name="width">
  <double>1.0</double>
</property>
<property name="height">
  <double>0.56</double>
</property>
<property name="scale">
  <double>2.2</double>
</property>
<property name="shared">
  <boolean>>false</boolean>
</property>
<property name="active">
  <boolean>>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
```

FIG.35

511-6

```
<property name="filepath">
  <object class="com.sony.sunday.util.SResourcePath">
    <constructor>
      <arg name="path">
        <string>/startup/background1.JPG</string>
      </arg>
    </constructor>
  </object>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">
        <double>0.9913287246227138</double>
      </arg>
      <arg name="z">
        <double>0.0</double>
      </arg>
      <arg name="angle">
        <double>0.85</double>
      </arg>
    </constructor>
  </object>
</property>
<property name="frameTextureFilepath">
  <object class="com.sony.sunday.util.SResourcePath">
    <constructor>
      <arg name="path">
        <string></string>
      </arg>
```

FIG.36

511-7

```
</constructor>
</object>
</property>
<property name="frameTextureRepeatTime">
  <double>5.0</double>
</property>
<property name="frameMargin">
  <double>0.04</double>
</property>
<property name="frameTransparency">
  <float>0.0</float>
</property>
<property name="frameMaterial">
  <object class="com.sony.sunday.util.SMaterial">
    <constructor>
      <arg name="ambientColor">
        <object class="javax.vecmath.Color3f">
          <constructor>
            <arg name="x">
              <float>0.0</float>
            </arg>
            <arg name="y">
              <float>0.2</float>
            </arg>
            <arg name="z">
              <float>0.2</float>
            </arg>
          </constructor>
        </object>
      </arg>
      <arg name="emissiveColor">
        <object class="javax.vecmath.Color3f">
          <constructor>
            <arg name="x">
              <float>0.0</float>
            </arg>
```

FIG.37

511-8

```
<arg name="y">
  <float>0.0</float>
</arg>
<arg name="z">
  <float>0.0</float>
</arg>
</constructor>
</object>
</arg>
<arg name="diffuseColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.0</float>
      </arg>
      <arg name="y">
        <float>0.8</float>
      </arg>
      <arg name="z">
        <float>0.8</float>
      </arg>
    </constructor>
  </object>
</arg>
<arg name="specularColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.0</float>
      </arg>
      <arg name="y">
        <float>0.8</float>
      </arg>
      <arg name="z">
        <float>0.8</float>
      </arg>
```

FIG.38

511-9

```
        </constructor>
      </object>
    </arg>
    <arg name="shininess">
      <float>64.0</float>
    </arg>
  </constructor>
</object>
</property>
<property name="depth">
  <double>0.02</double>
</property>
<property name="showFrame">
  <boolean>true</boolean>
</property>
</component>
<component class="com.sony.pushbutton.SPushButton">
  <property name="id">
    <string>button1</string>
  </property>
  <property name="position">
    <object class="javax.vecmath.Vector3d">
      <constructor>
        <arg name="x">
          <double>1.2</double>
        </arg>
        <arg name="y">
          <double>0.38</double>
        </arg>
        <arg name="z">
          <double>-0.2</double>
        </arg>
      </constructor>
    </object>
  </property>
  <property name="scale">
```

FIG.39

511-10

```

    <double>0.8</double>
  </property>
  <property name="shared">
    <boolean>false</boolean>
  </property>
  <property name="active">
    <boolean>false</boolean>
  </property>
  <property name="initiallyActive">
    <boolean>true</boolean>
  </property>
  <property name="filepath">
    <object class="com.sony.sunday.util.SResourcePath">
      <constructor>
        <arg name="path">
          <string>/startup/buttonNormal.sob</string>
        </arg>
      </constructor>
    </object>
  </property>
  <property name="renderingOrder">
    <int>0</int>
  </property>
  <property name="rotation">
    <object class="javax.vecmath.AxisAngle4d">
      <constructor>
        <arg name="x">
          <double>0.0</double>
        </arg>
        <arg name="y">
          <double>1.0</double>
        </arg>
        <arg name="z">
          <double>0.0</double>
        </arg>
        <arg name="angle">

```

FIG.40

511-11

```

    <double>0.0</double>
  </arg>
</constructor>
</object>
</property>
<property name="onfocus">
  <string></string>
</property>
<property name="onblur">
  <string></string>
</property>
<property name="onkeydown">
  <string></string>
</property>
<property name="onkeyup">
  <string></string>
</property>
<property name="navup">
  <string></string>
</property>
<property name="navdown">
  <string>button2</string>
</property>
<property name="navleft">
  <string></string>
</property>
<property name="navright">
  <string></string>
</property>
<property name="focusMaterial">
  <object class="com.sony.sunday.util.SMaterial">
    <constructor>
      <arg name="ambientColor">
        <object class="javax.vecmath.Color3f">
          <constructor>
            <arg name="x">

```

FIG.41

511-12

```
<float>0.3</float>
</arg>
<arg name="y">
  <float>0.3</float>
</arg>
<arg name="z">
  <float>0.0</float>
</arg>
</constructor>
</object>
</arg>
<arg name="emissiveColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.1</float>
      </arg>
      <arg name="y">
        <float>0.1</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</arg>
<arg name="diffuseColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.8</float>
      </arg>
      <arg name="y">
        <float>0.8</float>
      </arg>
      <arg name="z">
```


FIG.42

511-13

```
<float>0.0</float>
</arg>
</constructor>
</object>
</arg>
<arg name="specularColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>1.0</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</arg>
<arg name="shininess">
  <float>128.0</float>
</arg>
</constructor>
</object>
</property>
<property name="normalGeometryLabel">
  <string>Default</string>
</property>
<property name="selectedGeometryLabel">
  <string>Default_Selected</string>
</property>
<property name="onpressed">
  <string>spin();</string>
</property>
</component>
```

FIG.43

511-14

```

<component class="com. sony. pushbutton. SPushButton">
  <property name="id">
    <string>button2</string>
  </property>
  <property name="position">
    <object class="javax. vecmath. Vector3d">
      <constructor>
        <arg name="x">
          <double>1. 2</double>
        </arg>
        <arg name="y">
          <double>0. 0</double>
        </arg>
        <arg name="z">
          <double>-0. 2</double>
        </arg>
      </constructor>
    </object>
  </property>
  <property name="scale">
    <double>0. 8</double>
  </property>
  <property name="shared">
    <boolean>>false</boolean>
  </property>
  <property name="active">
    <boolean>>false</boolean>
  </property>
  <property name="initiallyActive">
    <boolean>>true</boolean>
  </property>
  <property name="filepath">
    <object class="com. sony. sunday. util. SResourcePath">
      <constructor>
        <arg name="path">
          <string>/startup/buttonNormal. sob</string>
        </arg>
      </constructor>
    </object>
  </property>
</component>

```

FIG.44

511-15

```
</arg>
</constructor>
</object>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">
        <double>1.0</double>
      </arg>
      <arg name="z">
        <double>0.0</double>
      </arg>
      <arg name="angle">
        <double>0.0</double>
      </arg>
    </constructor>
  </object>
</property>
<property name="onfocus">
  <string></string>
</property>
<property name="onblur">
  <string></string>
</property>
<property name="onkeydown">
  <string></string>
</property>
<property name="onkeyup">
  <string></string>
```

FIG.45

511-16

```
</property>
<property name="navup">
  <string>button1</string>
</property>
<property name="navdown">
  <string></string>
</property>
<property name="navleft">
  <string></string>
</property>
<property name="navright">
  <string></string>
</property>
<property name="focusMaterial">
  <object class="com.sony.sunday.util.SMaterial">
    <constructor>
      <arg name="ambientColor">
        <object class="javax.vecmath.Color3f">
          <constructor>
            <arg name="x">
              <float>0.3</float>
            </arg>
            <arg name="y">
              <float>0.3</float>
            </arg>
            <arg name="z">
              <float>0.0</float>
            </arg>
          </constructor>
        </object>
      </arg>
      <arg name="emissiveColor">
        <object class="javax.vecmath.Color3f">
          <constructor>
            <arg name="x">
              <float>0.1</float>
```

FIG.46

511-17

```
</arg>
<arg name="y">
  <float>0.1</float>
</arg>
<arg name="z">
  <float>0.0</float>
</arg>
</constructor>
</object>
</arg>
<arg name="diffuseColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.8</float>
      </arg>
      <arg name="y">
        <float>0.8</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</arg>
<arg name="specularColor">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>1.0</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</arg>
```

FIG.47

511-18

```

        </arg>
      </constructor>
    </object>
  </arg>
  <arg name="shininess">
    <float>128.0</float>
  </arg>
</constructor>
</object>
</property>
<property name="normalGeometryLabel">
  <string>Default</string>
</property>
<property name="selectedGeometryLabel">
  <string>Default_Selected</string>
</property>
<property name="onpressed">
  <string>stopSpin();</string>
</property>
</component>
<component class="com.sony.label.SLabel">
  <property name="id">
    <string>label1</string>
  </property>
  <property name="position">
    <object class="javax.vecmath.Vector3d">
      <constructor>
        <arg name="x">
          <double>0.9200000000000002</double>
        </arg>
        <arg name="y">
          <double>0.2799999999999999</double>
        </arg>
        <arg name="z">
          <double>0.3</double>
        </arg>
      </constructor>
    </object>
  </property>

```

47/62

FIG.48

511-19

```
</constructor>
</object>
</property>
<property name="font">
  <object class="java.awt.Font">
    <constructor>
      <arg name="name">
        <string>Arial</string>
      </arg>
      <arg name="style">
        <int>1</int>
      </arg>
      <arg name="size">
        <int>36</int>
      </arg>
    </constructor>
  </object>
</property>
<property name="color">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>1.0</float>
      </arg>
      <arg name="z">
        <float>1.0</float>
      </arg>
    </constructor>
  </object>
</property>
<property name="text">
  <string>Spin</string>
</property>
```

FIG.49

511-20

```
<property name="scale">
  <double>1.0</double>
</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">
        <double>1.0</double>
      </arg>
      <arg name="z">
        <double>0.0</double>
      </arg>
      <arg name="angle">
        <double>0.0</double>
      </arg>
    </constructor>
  </object>
</property>
</component>
<component class="com.sony.label.SLabel">
  <property name="id">
```


FIG.50

511-21

```
<string>label2</string>
</property>
<property name="position">
  <object class="javax.vecmath.Vector3d">
    <constructor>
      <arg name="x">
        <double>0.94</double>
      </arg>
      <arg name="y">
        <double>-0.059999999999999993</double>
      </arg>
      <arg name="z">
        <double>0.3</double>
      </arg>
    </constructor>
  </object>
</property>
<property name="font">
  <object class="java.awt.Font">
    <constructor>
      <arg name="name">
        <string>Arial</string>
      </arg>
      <arg name="style">
        <int>1</int>
      </arg>
      <arg name="size">
        <int>36</int>
      </arg>
    </constructor>
  </object>
</property>
<property name="color">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
```

50/62

FIG.51

511-22

```

    <float>1.0</float>
  </arg>
  <arg name="y">
    <float>1.0</float>
  </arg>
  <arg name="z">
    <float>1.0</float>
  </arg>
</constructor>
</object>
</property>
<property name="text">
  <string>Stop</string>
</property>
<property name="scale">
  <double>1.0</double>
</property>
<property name="shared">
  <boolean>>false</boolean>
</property>
<property name="active">
  <boolean>>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">

```

51/62

FIG.52

511-23

```

    <float>1.0</float>
  </arg>
  <arg name="y">
    <float>1.0</float>
  </arg>
  <arg name="z">
    <float>1.0</float>
  </arg>
</constructor>
</object>
</property>
<property name="text">
  <string>Stop</string>
</property>
<property name="scale">
  <double>1.0</double>
</property>
<property name="shared">
  <boolean>>false</boolean>
</property>
<property name="active">
  <boolean>>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>>true</boolean>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">

```

FIG.53

511-24

```

    <double>1.0</double>
  </arg>
  <arg name="z">
    <double>0.0</double>
  </arg>
  <arg name="angle">
    <double>0.0</double>
  </arg>
</constructor>
</object>
</property>
</component>
<component class="com.sony.label.SLabel">
  <property name="id">
    <string>title</string>
  </property>
  <property name="position">
    <object class="javax.vecmath.Vector3d">
      <constructor>
        <arg name="x">
          <double>-1.0000000000000004</double>
        </arg>
        <arg name="y">
          <double>0.6600000000000001</double>
        </arg>
        <arg name="z">
          <double>0.3</double>
        </arg>
      </constructor>
    </object>
  </property>
  <property name="font">
    <object class="java.awt.Font">
      <constructor>
        <arg name="name">
          <string>Comic Sans MS</string>

```

FIG.54

511-25

```
</arg>
<arg name="style">
  <int>1</int>
</arg>
<arg name="size">
  <int>36</int>
</arg>
</constructor>
</object>
</property>
<property name="color">
  <object class="javax.vecmath.Color3f">
    <constructor>
      <arg name="x">
        <float>0.6</float>
      </arg>
      <arg name="y">
        <float>0.8</float>
      </arg>
      <arg name="z">
        <float>0.0</float>
      </arg>
    </constructor>
  </object>
</property>
<property name="text">
  <string>Welcome to the Sunday World !!</string>
</property>
<property name="scale">
  <double>1.0</double>
</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
```

FIG.55

511-26

```

</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.0</double>
      </arg>
      <arg name="y">
        <double>1.0</double>
      </arg>
      <arg name="z">
        <double>0.0</double>
      </arg>
      <arg name="angle">
        <double>0.0</double>
      </arg>
    </constructor>
  </object>
</property>
</component>
<component class="com.sony.shape.S3DShape">
  <property name="id">
    <string>porsche</string>
  </property>
  <property name="position">
    <object class="javax.vecmath.Vector3d">
      <constructor>
        <arg name="x">
          <double>1.3400000000000003</double>
        </arg>

```

FIG.56

511-27

```
<arg name="y">
  <double>-0.7599999999999998</double>
</arg>
<arg name="z">
  <double>0.7600000000000001</double>
</arg>
</constructor>
</object>
</property>
<property name="width">
  <double>1.0</double>
</property>
<property name="height">
  <double>1.0</double>
</property>
<property name="scale">
  <double>0.55</double>
</property>
<property name="shared">
  <boolean>>false</boolean>
</property>
<property name="active">
  <boolean>>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
<property name="filepath">
  <object class="com.sony.sunday.util.SResourcePath">
    <constructor>
      <arg name="path">
        <string>/startup/formula0ne.sob</string>
      </arg>
    </constructor>
  </object>
</property>
```

FIG.57

511-28

```

<property name="renderingOrder">
  <int>0</int>
</property>
<property name="rotation">
  <object class="javax.vecmath.AxisAngle4d">
    <constructor>
      <arg name="x">
        <double>0.023045814612553756</double>
      </arg>
      <arg name="y">
        <double>-0.9993246794860199</double>
      </arg>
      <arg name="z">
        <double>-0.028619493339460032</double>
      </arg>
      <arg name="angle">
        <double>1.9958596229553223</double>
      </arg>
    </constructor>
  </object>
</property>
<property name="depth">
  <double>1.0</double>
</property>
</component>
<component class="com.sony.colorbg.SColorBackground">
  <property name="id">
    <string>sColorBackground1</string>
  </property>
  <property name="color">
    <object class="javax.vecmath.Color3f">
      <constructor>
        <arg name="x">
          <float>0.10980392</float>
        </arg>
        <arg name="y">

```


57/62

FIG.58

511-29

```
<float>0.11764706</float>
</arg>
<arg name="z">
  <float>0.11764706</float>
</arg>
</constructor>
</object>
</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
</component>
<component class="com.sony.alight.SAmbientLight">
  <property name="id">
    <string>aLight</string>
  </property>
  <property name="color">
    <object class="javax.vecmath.Color3f">
      <constructor>
        <arg name="x">
          <float>1.0</float>
        </arg>
        <arg name="y">
          <float>1.0</float>
        </arg>
        <arg name="z">
          <float>1.0</float>
        </arg>
      </constructor>
    </object>
  </property>
</component>
```

FIG.59

511-30

```

</property>
<property name="shared">
  <boolean>false</boolean>
</property>
<property name="active">
  <boolean>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>true</boolean>
</property>
</component>
<component class="com.sony.slight.SSpotLight">
  <property name="id">
    <string>sSpotLight1_1</string>
  </property>
  <property name="position">
    <object class="javax.vecmath.Vector3d">
      <constructor>
        <arg name="x">
          <double>-0.5400000000000006</double>
        </arg>
        <arg name="y">
          <double>-0.03999999999999998</double>
        </arg>
        <arg name="z">
          <double>0.7</double>
        </arg>
      </constructor>
    </object>
  </property>
  <property name="color">
    <object class="javax.vecmath.Color3f">
      <constructor>
        <arg name="x">
          <float>0.7019608</float>
        </arg>

```

FIG.60

511-31

```
<arg name="y">
  <float>1.0</float>
</arg>
<arg name="z">
  <float>1.0</float>
</arg>
</constructor>
</object>
</property>
<property name="shared">
  <boolean>>false</boolean>
</property>
<property name="active">
  <boolean>>false</boolean>
</property>
<property name="initiallyActive">
  <boolean>>true</boolean>
</property>
<property name="direction">
  <object class="javax.vecmath.Vector3f">
    <constructor>
      <arg name="x">
        <float>1.0</float>
      </arg>
      <arg name="y">
        <float>-0.6</float>
      </arg>
      <arg name="z">
        <float>-0.7</float>
      </arg>
    </constructor>
  </object>
</property>
<property name="attenuation">
  <object class="javax.vecmath.Point3f">
    <constructor>
```

FIG.61

511-32

```
<arg name="x">
  <float>1.0</float>
</arg>
<arg name="y">
  <float>0.5</float>
</arg>
<arg name="z">
  <float>0.0</float>
</arg>
</constructor>
</object>
</property>
<property name="concentration">
  <float>0.8</float>
</property>
<property name="spreadAngle">
  <float>0.6</float>
</property>
</component>
</scene>
</content>
```

FIG.62

503-1

<!ELEMENT content (scene+)>	<!-- con
tent (highest level element) -->	
<!ATTLIST content name CDATA #IMPLIED>	<!-- na
me of content (optional) -->	
<!ELEMENT scene (script, component*)>	<!-- sce
ne constituting content -->	... A
<!ATTLIST scene name ID #REQUIRED>	<!-- na
me of content (required) -->	... B
<!ELEMENT script (#PCDATA)>	<!-- ECMA
script code -->	
<!ELEMENT component (property*)>	<!-- com
ponent constituting scene -->	
<!ATTLIST component class CDATA #REQUIRED>	<!-- cla
ss name of component (required) -->	
<!ELEMENT property (boolean byte char double float ini long short string object)>	<!--component's pro
perty value -->	
<!ATTLIST property name CDATA #REQUIRED>	<!-- pro
perty (field) name (required) -->	
<!ELEMENT boolean (#PCDATA)>	<!-- bool
ean (primitive) value -->	
<!ELEMENT byte (#PCDATA)>	<!-- byte
(primitive) value -->	
<!ELEMENT char (#PCDATA)>	<!-- char
(primitive) value -->	
<!ELEMENT double (#PCDATA)>	<!-- doub
le (primitive) value -->	
<!ELEMENT float (#PCDATA)>	<!-- floa
t (primitive) value -->	
<!ELEMENT int (#PCDATA)>	<!-- int
(primitive) value -->	
<!ELEMENT long (#PCDATA)>	<!-- long
(primitive) value -->	

FIG.63

503-2

```

<!-- ELEMENT short (#PCDATA)>                                <!-- short (primitive) value -->
<!-- ELEMENT string (#PCDATA)>                                <!-- string (primitive) value -->
<!-- ELEMENT object ((constructor?, setter*) | reference)>
  <!-- object -->
  <!-- ATTLIST object class CDATA #REQUIRED
    name CDATA #IMPLIED>                                <!-- class: class name (required) name: reference name (optional) -->
  <!-- ELEMENT constructor (arg+)>                                <!-- constructor, argument to be passed to setter method -->
  <!-- ELEMENT setter (arg)>                                <!-- setter method -->
  <!-- ATTLIST setter name CDATA #REQUIRED>                                <!-- method name -->
  <!-- ELEMENT arg (boolean | byte | char | double
    | float | ini | long | short
    | string | object)>                                <!-- argument -->
  <!-- ATTLIST arg name CDATA #IMPLIED>                                <!-- argument name (optional) -->
  <!-- ELEMENT reference (#PCDATA)>                                <!-- reference to another object (for expression of ring list structure) -->

  <!-- if verification is performed actually using this file, it is necessary
  to convert character encoding of this file into UTF-8, in advance -->

```

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.